

No Pneumonia Vaccination (Adults Age 65+)

No Pneumonia Vaccination (Adults Age 65+)

- Most recent data (2013): 28% or about 63,800 King County adults age 65+.
- Trend over time: 2001-13: falling
- Description: Has never had a pneumonia shot

No pneumonia vaccination (adults age 65+), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 65+)	28	26	30
AGE			
65+	28	26	30
GENDER			
Male	32	29	36
Female	25	22	27
RACE/ETHNICITY			
AIAN	*	*	*
Asian	40	30	52
Black	38	27	50
Hispanic	47	29	66
Multiple	18 §	9 §	32 §
NIHPI	*	*	*
White	26	24	28
HOUSEHOLD INCOME			
<\$15,000	45	30	61
\$15,000 to \$24,999	34	27	42
\$25,000 to \$34,999	26	20	32
\$35,000 to \$49,999	23	20	27
\$50,000 to \$74,999	30	25	34
\$75,000+	26	22	31
REGION			
East	27	23	31
North	22	17	28
Seattle	31	27	36
South	28	25	31

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No pneumonia vaccination (adults age 65+)

King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No pneumonia vaccination (adults age 65+) by comparison areas

The Healthy People 2020 Objective for no pneumonia vaccination (adults age 65+) is 10%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2012	31	N/A	N/A
WA State	2012	27	26	29
King County	2013	28	24	33

Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

N/A: Not available.

CI is 95% Confidence Interval.

No pneumonia vaccination (adults age 65+) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.

No pneumonia vaccination (adults age 65+) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 65+)	28	26	30
Auburn	29	19	40
..Auburn-North	18	10	29
..Auburn-South	44	27	62
Bear Creek/Carnation/Duvall	35	25	46
Bellevue	24	19	31
..Bellevue-Central	26	17	37
..Bellevue-NE	21	14	31
..Bellevue-South	29 §	14 §	50 §
..Bellevue-West	22	12	36
Black Diamond/Enumclaw/SE County	20	14	28
Bothell/Woodinville	29	16	46
Burien	22	15	32
Covington/Maple Valley	36	21	55
Des Moines/Normandy Park	31	19	47
East Federal Way	*	*	*
Fairwood	29	18	43
Federal Way	21	15	29
..Fed Way-Central/Military Rd	16	10	25
..Fed Way-Dash Point/Woodmont	28	17	42
Issaquah	25	16	38
Kenmore/LFP	19	11	31
Kent	35	26	45
..Kent-East	22	12	37
..Kent-SE	41	30	54
..Kent-West	*	*	*
Kirkland	29	19	41
..Kirkland	28	15	47
..Kirkland North	30	20	42
Mercer Isle/Pt Cities	23	15	34
Newcastle/Four Creeks	26	15	41
North Highline	*	*	*
Redmond	32	21	45
Renton	32	24	42
..Renton-East	*	*	*
..Renton-North	*	*	*
..Renton-South	31	19	45
Sammamish	27	16	42
SeaTac/Tukwila	29	18	44
Seattle	31	27	36
..Ballard	21	13	32
..Beacon/Gtown/S.Park	*	*	*
..Capitol Hill/E.lake	47	26	69
..Central Seattle	48	32	64
..Delridge	39	23	58
..Downtown	36 §	15 §	64 §
..Fremont/Greenlake	25 §	13 §	42 §
..NE Seattle	29	18	43
..North Seattle	20	13	29
..NW Seattle	20	13	30
..QA/Magnolia	30	21	40
..SE Seattle	21	11	35
..West Seattle	32	23	42
Shoreline	21	15	28
Snoqualmie/North Bend/Skykomish	24	14	36
Vashon Island	28	17	43

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No pneumonia vaccination (adults age 65+) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.

No pneumonia vaccination (adults age 65+) King County, 2001-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

King County
Hospitals
for a Healthier
Community